



Topic Notes: Animation

Our next goal is to take our programming techniques and expand them, adding some new Mead constructs, to create simple animations. Before we can get to animations, we need to study Bezier curves.

Bezier Curves

We'll begin with an example, then think about exactly what's happening.

Mead Example: `SimpleBezier`

The `Prism` and `Lathe` classes take an additional message: (`bezier`), that instructs the class to treat the `profile` polygon as a set of control points for one or more *Bezier curve*.

Looking at the images generated by `SimpleBezier`, we can see that this results in objects with rounded instead of pointed surfaces.

In the example, we use a couple outline polygons to create objects with the `Lathe` and `Prism` constructs.

To understand what is going on here and how we can use this to create the curved surfaces we want, we will look in detail at Bezier curves.

We will consider *cubic* Bezier curves, at least to start.

These are defined by 4 *control points*; we'll call them *A*, *B*, *C*, and *D*. Intuitively, the curve defined by these points is the one traced out by an object "launched" from *A* in the direction of *B* and "arriving" at *D* from the direction of *C*.

All points on the Bezier curve always lies within the figure *ABCD*.

More formally and precisely, the points on the Bezier curve specified by points *A*, *B*, *C*, and *D* are the determined by the formula:

$$A(1-t)^3 + 3B(1-t)^2t + 3C(1-t)t^2 + Dt^3$$

where *t* ranges from 0 to 1.

If you think a bit about the formula, you'll see that at $t = 0$, it evaluates to *A* (as all other terms become 0) and at $t = 1$, it evaluates to *D*.

We can use a geometric construction to compute specific points on the Bezier curve. We will build an "A-frame scaffolding" to do this. To compute the point on the curve at, for example at $t = \frac{1}{3}$:

1. Draw straight lines from A to B , B to C , and C to D .
2. Find the points $\frac{1}{3}$ of the way from A to B (call it E), B to C (call it F), and C to D (call it G).
3. Draw straight lines E to F and F to G .
4. Find the points $\frac{1}{3}$ of the way from E to F (call it H), F to G (call it I).
5. Draw a straight line from H to I .
6. Find the point $\frac{1}{3}$ of the way from H to I (call it J). J is the point on the Bezier curve for $t = \frac{1}{3}$.

The Wikipedia article for Bezier curves has some excellent diagrams and animations that demonstrate this construction.

There are a number of web sites that you might find useful to specify Bezier curves. Links are on the lecture page.

Looking back at the `SimpleBezier` example, the polygon outline, when thought of as a Bezier curve, is really two sets of points, defining two cubic Bezier curves:

```
(define outline
  (2to3d '((0 0) (25 100) (50 25) (75 0)
          (75 0) (50 -25) (25 -100) (0 0))))
```

When a `Prism` or a `Lathe` is sent the `(bezier)` message, it will interpret the `profile` as sets of 4 Bezier control points.

We can define very complex and interesting curves with this method.

Some tips about stringing together Bezier curves:

- If you want a straight segment from A to D , place B at A and C at D .
- If you want two adjacent Bezier curves (defined by control points A, B, C, D and A', B', C', D') to join together smoothly, you need to make sure that D and A' are the same point, and that $C, D/A'$, and B' are colinear. Otherwise, there will be a sharp corner at D/A' .

Mead Example: `Bell`

The bell uses a straight segment, then two curved Bezier segments, but since we want it to be smooth, the last two points of the second segment and the first two points of the third are colinear.

`blend` **and** `morph`

Mead provides functions that we will use in conjunction with Bezier curves and, soon, to help guide our animations.

First, `blend`.

In its simplest form, `blend` does *linear interpolation*. If we provide three parameters:

```
(blend t from to)
```

`t` is expected to be a value from 0-1. If `t` is 0, the function returns `from`. If `t` is 1, the function returns `to`. If `t` is some number in between, the function returns a value that is a “blend” of `from` and `to`, using `t` of `from` and `1-t` of `to`.

The parameters `from` and `to` may be numbers or lists of numbers (or lists of lists of numbers, etc.) so long as they are the same “shape” and corresponding elements in the lists can be “blended”.

Examples:

```
> (blend .23 0 100)
23.0
> (blend .75 '(0 0) '(-1 -1))
(-0.75 -0.75)
> (blend .5 red blue) ; RGB colors
(0.5 0 0.5)
> (blend .3 '(0 1 1) '(240 1 1)) ; HSV colors
(72.0 1.0 1.0)
```

The `morph` function does a series of blends. In its simplest form, it takes three parameters as well:

```
(morph n from to)
```

In this case, `morph` returns a list of `n+1` blended values that go from `from` to `to`.

The first entry of the list is the result of `(blend 0 from to)` (or simply, `from`), the next is `(blend (/ 1.0 n) from to)`, the next is `(blend (/ 2.0 n) from to)`, on up to the last, which is `(blend 1 from to)`, which is simply `to`.

Examples:

```
> (morph 4 0 100)
(0 25.0 50.0 75.0 100)
> (morph 10 '(0 0) '(2 2))
((0 0)
 (0.2 0.2)
 (0.4 0.4)
```

```

(0.60000000000000001 0.60000000000000001)
(0.8 0.8)
(1.0 1.0)
(1.20000000000000002 1.20000000000000002)
(1.40000000000000001 1.40000000000000001)
(1.6 1.6)
(1.8 1.8)
(2 2))
> (morph 5 red blue)
((1 0 0)
 (0.8 0 0.2)
 (0.6 0 0.4)
 (0.39999999999999999 0 0.60000000000000001)
 (0.19999999999999996 0 0.8)
 (0 0 1))
>

```

Remember that passing a value of n results in $n+1$ elements in our resulting list.

We will make extensive use of these, but to start, let's consider the potential for a "time-lapse" image.

Mead Example: MorphReplication

So far, this is just a different way to do something we could have easily done with something like `multiAdd`.

We can complicate matters a bit and do some things that might be trickier with `multiAdd` style functions.

The bulk of the work in this example is done in two places:

1. Building our list of positions for our objects with the `morph` function. In this case:

```
(morph 19 '(-200 0 0)' '(200 0 0))
```

This gives us 20 positions, the first at `(-200 0 0)`, the last at `(200 0 0)`, evenly spaced along the x-axis.

2. Then, we have a function `addAtPositions`, that works much like our `multiAdd` and similar functions, but which takes a list of positions where to add our objects.

This takes the place of 3 of the parameters in `multiAdd` – n is determined by the number of positions in the list, and `initialXform` and `deltaXform` are not needed to compute positions since we already have a list of positions.

Most of `addAtPositions` uses familiar ideas and constructs. A couple of things are new and/or notable:

- we have a new conditional expression – we don't have a number `n` to compare to 0 to decide when we stop. Instead, we want to stop when we've run out of positions in the list of positions

To see when we've run out of positions, we can have scheme ask if the list is “null” (a computer word for “empty”) using the `null?` function.

`null?` returns true if the given list has no entries, false otherwise.

- If we're done, we just return the word `'done`. We could put just about anything here — remember that in our previous examples of this type, we've returned `group`.
- When adding an object, group our “if false” part inside a `let*`, where we also define (for convenience), a name `pos` for the first element in our position list.

We then tell the group to add a copy of the object, translated by an appropriate amount in the `x`, `y`, and `z` directions.

We then add “the rest” by making a recursive call using `cdr` to get all but the first element (which we've finished with) from our list of positions.

Mead Example: `MoreMorphReplication`

The `blend` and `morph` functions can also compute cubic Bezier curve positions. If we provide 5 arguments instead of 3, the values will be interpreted as *A*, *B*, *C*, and *D* from the Bezier curves.

Mead Example: `BezierMorphReplication`

Finally, these functions can take a set of 3 points, which will produce a quadratic Bezier curve – a parabolic shape.

Mead Example: `QuadraticMorphReplication`

Animation

Armed with Bezier curves and the ideas of the `blend` and `morph` functions, it's time to make our first animation.

Mead Example: `BallToss`

There's plenty to digest here. Some key things to notice:

- The new image properties we have not seen before:
 - `(fileName "BallToss")` – instead of generating image and movie files based on your login ID, use this word
 - `(frameNumber 0)` – tell the animation code to start numbering the frames we'll generate at 0
 - `(viewResult #f)` – don't display all images as they're generated (as we usually do), instead display only the generated movie at the end

- We add the ball to the `scene` but make sure we have a name for it – we’ll need this later to adjust its position between frames
- The function `moveBall` moves the `ball` to a given position
 - this will be called when we generate the frames of our movie.
 - note the need for `absoluteXform` – it makes our task easier here to forget all the ways in which the ball was previously transformed, and start over from its default size, position, and orientation – until now, we have always been using a `relativeXform` (without really being aware of it).
- The magic happens in the `film` message to our camera.
 - `film` generates a sequence of frames
 - here, we generate 51 frames, numbered 0-50
 - for each frame, the function `moveBall` will be called – this is our *adjustment function*
 - for each call made to `moveBall`, its parameter will be determined by a `morph` of the next parameter to `film` – in this case, a cubic Bezier curve determined by the four points given
 - in general, one parameter will be generated and passed to the adjustment function for each additional parameter to `film` (we’ll see much more interesting examples)
- With the frames generated by `film`, we send the message `buildMovie` to paste these together into an animation!

Our first extension to the example:

Mead Example: `CrazyBallToss`

Instead of just animating the ball, two more objects and several more change parameters have been added.

What happens and how?

- The sun is setting and getting dimmer. The setting is controlled by doing a relative transformation on the `sun` object every frame (it moves down by 5 every frame) and by setting the `Light`’s `intensity` according to the second parameter to `moveThings`. It varies linearly from 1 down to .5.
- There is a ball that moves along the ground and changes color. The motion is in a straight line and the colors are fully saturated (“bright”) HSV colors varying from red, through green and blue, and back to red. Notice the function that takes an RGB color and returns a new “plaster” material with that color.

- There is a “crazy” cube that spins, changes size, and bounces. Here, we add three parameters to `moveThings`, one to control the spin, one to control the scaling, and one to control the bouncing. It spins around three times, so the rotation goes from 0 to 1080. It starts at 50x50x50, expands up to around 100x100x100, back down to about 25x25x25 and back to its original 50x50x50. This one is a cubic Bezier.

To get a little crazier, consider adding camera motion to all of this:

Mead Example: `CrazyBallTossMoveCamera`

We can string together multiple `film` messages, which will all generate frames that will be put into the same movie by `buildMovie`.

Mead Example: `BallTossAround`

We next build a wind turbine and start it spinning:

Mead Example: `WindTurbine`

This is a much simpler model – just three cones and a cylinder. Our interest is in the grouping and animation.

- We define a `Group` called `threeBlades` of (unsurprisingly) three turbine blades, centered at the origin.
- The `threeBlades` is added to a `Group` called `turbine` along with a support cylinder. The `threeBlades` are located above the origin, now.
- The animation is controlled by the adjustment function `rotateBlade`. It does a *relative* transformation on the `threeBlades` object, rotating about the z-axis some number of degrees.

The questions: Why is the `zRot` doing the right thing? Shouldn't a `zRot` of an object that is not located along the z-axis result in the whole collection of blades around the z-axis?

The answer: not in this case! The `zRot` is being applied to the `threeBlades` `Group` *before* it is added to the `turbine` `Group`.

The explanation: There are multiple transformations applied, and they are applied successively as objects are built and grouped.

In this case, we build:

1. a `blade`, which is a `Cone` that has been scaled and translated Mead associates a *transformation* with the definition of `blade` that represents the composition of the scaling and translation.
2. a `threeBlades`, which is a `Group` of three `blades`. Each of these `blades`, when added to the group, is given a new transformation, specific to that instance, which is composed with

the `blade` transformation from above. In this case, the first added `blade` has no additional transformation applied (though a “do nothing” transformation – the *identity transformation* is stored by Mead), and the second and third each have a rotation about `z` stored for their transformations. The `threeBlades` also gets a transformation, which is in this case, the identity transformation since we have not specified any transformations.

3. a `turbine`, which is also a `Group`, this time consisting of a `threeBlades` and a `cylinder`. Each instance added to the group is also given a new transformation – for `threeBlades` it contains the translation and for the `cylinder`, it is the composition of the two scalings and the translation.
4. Finally, we add the `turbine` to our `scene` and a new transformation (the identity, again, since we have not specified any additional transformations) that applies to this instance of the `turbine`.

So when, in the `rotateBlade` function, we apply a new transformation to `threeBlades`, it is to the `Group` called `threeBlades`, which in turn applies to the specific instance we added to our `turbine` (which was then translated).

For this reason, the `zRot` is applied *before* the `translate` that was added during the `Group` construction.

We can see that this particular transformation would apply in this same way to all instances of `turbine` that we might add to the `scene`.

Mead Example: `WindTurbines`

To get a better understanding of these multiple levels of transformations, consider:

Mead Example: `MovingCubes`

Note that an `absoluteXform` replaces *only* the transformation on the specific instance of the object to which it is applied! This can be hard to keep track of, but can be very helpful when managing animated scenes.

To see that we can use mathematical functions of parameters to our adjustment function as well as the values themselves, consider this simple example:

Mead Example: `SineBall`

Additional Examples

Here are a few more examples for reference.

Mead Example: `Snowing`

Mead Example: `Orbit`