


Topic Notes: Fundamental Data Structures: Graphs

A *graph* G is a collection of *nodes* or *vertices*, in a set V , joined by *edges* in a set E . Vertices have labels. Edges can also have labels (which often represent *weights*). Such a graph would be called a *weighted graph*.

The graph structure represents relationships (the edges) among the objects stored (the vertices).

For a tree, we might think of the tree nodes as vertices and edges labeled “parent” and “child” to represent nodes that have those relationships.



- Two vertices are *adjacent* if there exists an edge between them.
e.g., A is adjacent to B, G is adjacent to E, but A is not adjacent to C.
- A *path* is a sequence of adjacent vertices.
e.g., A-B-C-F-B is a path.
- A *simple path* has no vertices repeated (except that the first and last may be the same).
e.g., A-B-C-E is a simple path.
- A simple path is a *cycle* if the first and last vertex in the path are same.
e.g., B-C-F-B is a cycle.
- *Directed graphs* (or *digraphs*) differ from *undirected graphs* in that each edge is given a direction.

- The *degree* of a vertex is the number of edges incident on that vertex.
e.g., the degree of C is 4, the degree of D is 1, the degree of H is 0.
For a directed graph, we have more specific *out-degree* and *in-degree*.
- Two vertices u and v are *connected* if a simple path exists between them.
- A *subgraph* S is a *connected component* iff there exists a path between every pair of vertices in S .
e.g., $\{A,B,C,D,E,F,G\}$ and $\{H\}$ are the connected components of our example.
- A graph is *acyclic* if it contains no cycles.
- A graph is *complete* if every pair of vertices is connected by an edge.

There are two principal ways that a graph is usually represented:

1. an *adjacency matrix*, or
2. *adjacency lists*.

As a running example, we will consider an undirected graph where the vertices represent the states in the northeastern U.S.: NY, VT, NH, ME, MA, CT, and RI. An edge exists between two states if they share a common border, and we assign edge weights to represent the length of their border.

We will represent this graph as both an adjacency matrix and an adjacency list.

In an adjacency matrix, we have a two-dimensional array, indexed by the graph vertices. Entries in this array give information about the existence or non-existence of edges.


We represent a missing edge with `null` and the existence of an edge with a label (often a positive number) representing the edge label (often representing a weight).

Adjacency matrix representation of NE graph

	NY	VT	NH	ME	MA	CT	RI
NY	null	150	null	null	54	70	null
VT	150	null	172	null	36	null	null
NH	null	172	null	160	86	null	null
ME	null	null	160	null	null	null	null
MA	54	36	86	null	null	80	58
CT	70	null	null	null	80	null	42
RI	null	null	null	null	58	42	null

If the graph is undirected, then we could store only the lower (or upper) triangular part, since the matrix is symmetric.

An adjacency list is composed of a list of vertices. Associated with each vertex is a linked list of the edges adjacent to that vertex.



In some cases, a matrix representation is more desirable. In other cases, it is the list representation. It depends on the density of the graph and which graph operations need to be most efficient for the task at hand.

We will work through the implementation of a few methods of a simple directed graph (one with no vertex or edge labels) for both an adjacency matrix and an adjacency list representation.

In the example implementations, we will also consider the efficiencies in terms of both time and space.